



## Insulated Deep Groove Ball Bearings List



**Nine Star Electrically Insulated Bearing Suffix Reference:**

**SKF (VL0241, VL2071, VA3091) & FAG (J20A, J20AA, J20B, J20C)**

**CAGE: Steel Cage & Brass Cage (M) / SEALING TYPE: Open type, 2RS & 2Z**

Bearing NO.	d(mm)	D(mm)	B(mm)	Cr (kN)	Cor (kN)	Grease Speed (r/min)	Oil Speed (r/min)	Weight (kg)
6018	90	140	24	58	49.8	4300	5300	1.1
6019	95	145	24	57.8	50	4000	5000	1.15
6020	100	150	24	64.5	56.2	3800	4800	1.18
6021	105	160	26	71.8	63.2	3600	4500	1.52
6022	110	170	28	81.8	72.8	3400	4300	1.89
6024	120	180	28	87.5	79.2	3000	3800	1.99
6026	130	200	33	105	96.8	2800	3600	1.868
6028	140	210	33	116	108	2400	3200	2
6030	150	225	35	132	125	2200	3000	3.903
6032	160	240	38	145	138	2000	2800	4.83
6034	170	260	42	170	170	1900	2600	6.5
6036	180	280	46	188	198	1300	2400	8.51

Quality, price, time and service is the tenet of our business.

Credit, reposal, negotiation and cooperation is our standard.



# Linqing Nine Star Bearing Science & Technology Co.,Ltd

Tel: 0086-635-7555000

Fax: 0086-635-2101369

Email: info@jxkjzc.com

6038	190	290	46	188	200	1700	2200	8.865
6040	200	310	51	205	225	1600	2000	11.64
6044	220	340	56	252	268	1400	1800	18
6048	240	360	56	270	292	1200	1600	20
6052	260	400	65	292	372	1100	1500	28.8
6056	280	420	65	305	408	950	1300	32.1
6212	60	110	22	47.8	32.8	5600	7000	0.789
6213	60	120	23	57.2	40	5000	6300	0.99
6214	70	125	24	60.8	45	4800	6000	1.084
6215	75	130	25	66	49.5	4500	5600	1.171
6216	80	140	26	71.5	54.2	4300	5300	1.448
6217	85	150	28	83.2	63.8	4000	5000	1.803
6218	90	160	30	95.8	71.5	3800	4800	2.17
6219	95	170	32	110	82.8	3600	4500	2.62
6220	100	180	34	122	92.8	3400	4300	3.19
6221	105	190	36	133	105	3200	4000	3.78
6222	110	200	38	144	117	3000	3800	4.42
6224	120	215	40	155	131	2600	3400	5.3
6226	130	230	40	165	148	2400	3200	6.12
6228	140	250	42	179	167	2000	2800	7.77
6230	150	270	45	203	199	1900	2600	9.78
6232	160	290	48	215	218	1800	2400	12.22
6234	170	310	52	245	260	1700	2200	15.241
6236	180	320	52	262	285	1600	2000	15.518
6238	190	340	55	285	322	1500	1900	18.691
6240	200	360	58	288	332	1400	1800	22.577
6244	220	400	65	355	365	1200	1600	36.5
6310	50	110	27	61.8	38	6000	7000	1.082
6311	55	120	29	71.5	44.8	5600	6700	1.367
6312	60	130	31	81.8	51.8	5000	6000	1.71
6313	65	140	33	93.8	60.5	4500	5300	2.1
6314	70	150	35	105	68	4300	5000	2.55
6315	75	160	37	113	76.8	4000	4800	3.05
6316	80	170	39	123	86.5	3800	4500	3.61
6317	85	180	41	132	96.5	3600	4300	4.284
6318	90	190	43	145	108	3400	4000	4.97
6319	95	200	45	157	122	3200	3800	5.74

Quality, price, time and service is the tenet of our business.

Credit, reposal, negotiation and cooperation is our standard.

Tel: 0086-635-7555000

Fax: 0086-635-2101369

Email: info@jxkjzc.com

ADD: Bachalu Industrial Park, Linqing, Liaocheng, Shandong Province, China(Mainland)



## Linqing Nine Star Bearing Science & Technology Co.,Ltd

Tel: 0086-635-7555000

Fax: 0086-635-2101369

Email: info@jxkjzc.com

6320	100	215	47	173	140	2800	3600	7.09
6321	105	225	49	184	153	2600	3200	8.05
6322	110	240	50	205	178	2400	3000	9.53
6324	120	260	55	228	208	2200	2800	12.2
6326	130	280	58	253	242	2000	2600	14.77
6328	140	300	62	275	272	1900	2400	18.33
6330	150	320	65	288	295	1700	2200	21.87
6332	160	340	68	313	340	1600	2000	26.43
6334	170	360	72	335	378	1500	1900	31.14
6336M	180	380	75	665	1070	1500	2400	40
6338M	190	400	78	411	548	1300	1800	45.5
6340M	200	420	80	474	658	1700	2100	52
6410	50	130	31	922	55.2	5300	6300	1.855
6411	55	140	33	100	62.5	4800	6000	2.316
6412	60	150	35	109	70	4500	5600	2.811
6413	65	160	37	118	78.5	4300	5300	3.342
6414	70	180	42	140	99.5	3800	4500	4.896
6415	75	190	45	154	115	3600	4300	5.739
6416	80	200	48	163	125	3400	4000	6.752
6417	85	210	52	175	138	3200	3800	7.933
6418	90	225	54	192	158	2800	3600	9.56
6419	95	240	55					
6420	100	250	58	223	195	2400	3200	12.9

**Nine Star Electrically Insulated Bearing Suffix Reference:**

**SKF (VL0241, VL2071, VA3091) & FAG (J20A, J20AA, J20B, J20C)**

**CAGE: Steel Cage & Brass Cage (M) / SEALING TYPE: Open type, 2RS & 2Z**

Quality, price, time and service is the tenet of our business.

Credit, reposal, negotiation and cooperation is our standard.

Tel: 0086-635-7555000

Fax: 0086-635-2101369

Email: info@jxkjzc.com

ADD: Bachalu Industrial Park, Linqing, Liaocheng, Shandong Province, China(Mainland)